Enviro-Grit Abrasives

SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION

Material Name: Alternate Name:	Envirogrit™ Envirogrit-EG-10-30, Envirogrit EG-12-50, Envirogrit-EG-20-50, Envirogrit-EG-30 60, Engirogrit-EG-50-100, Envirogrit-EG-100-200, Envirogrit-EG-40-70		
Common Name: Product use:	Crushed Glass Enviro-Grit Glass Abrasive is recycled glass that is crushed into a high quality, clean, graded, processed, blasting abrasive. Enviro-Grit Glass Abrasive is available in the following six grades:		
EG-10-30	Coarse abrasive blasting on heavy rust, barnacles and thick coatings. Mill profile 3.0 to 4.0		
EG-12-50	General abrasive blasting for rust and paint removal jobs, blasting concrete for aggregate exposure, shipyard work, structural steel and tank cleaning. Mil profile 2.5 to 3.0		
EG-20-50	Slightly finer than EG 12-50. Mil profile 2.4 to 2.8		
EG-30-60	This blend improves scouring speed over EG 20-50 for most de-painting and rust removal work on shipyard, structural steel, tanks and pipeline projects. Mil profile 2.3 to 2.8		
EG-50-100	Lighter duty fine blasting on substrates requiring minimal etching or profile such as aluminum or fiberglass. Deliver a 1.5+ mil profile with 90-95 psi.		
EG-100-200	Extra fine cleaning, brightening, fine honing and deburring.		
EG-40-70	Grit size EG-40-70 is used for water blaster market; for cleaning and detailing what has already been blasted with a more aggressive grit size. A 2-mil profile would be expected from this product		
Manufacturer/Supplier: Emergency Telephone: Information Telephone:	Enviro-grit Abrasives, 1279 Sword Ave., P.O. Box 4369 Quesnel B.C. Canada V2J 3J4 1-250 992 7281 1-250 992 7281		

SECTION 2 - COMPOSITION / INGREDIENTS

Hazardous Ingredients	Approximate Concentration (% wt/wt)	C.A.S. #	LD50/LC50 (Incl. Species & Route)	Occupational Exposure Limits
Glass dust	99-100	ANY WITH MANY STOC	Not available	10 mg/m ³ Total Dust (Not Otherwise Classified) 3 mg/m ³ Respirable (PNOC, Nuisance dust)
Silica, Crystalline (α-Quartz, Cristobalite, Tridymite)²	<0.1		Not applicable	Not applicable (² Below detection)
Trace Metals (Sodium, Calcium, Iron	n) ³ <1.0		Not applicable	Not applicable

'TLV = Threshold Limit Value - TWA (8 hrs.); inhalable fraction for Total Particulates

²Bulk product testing measured levels below detection (< 0.1%) using Modified NIOSH 7500 - Silica, Crystalline, and Modified OSHA ID-142 -

Crystalline Silica, Quartz and Cristobalite by XRD performed by Accredited Laboratories.

³Not applicable: bulk material analyzed by ISO 17025 accredited laboratory reported the percent composition of contaminants below the reporting limits of 1% for toxic and 0.1% for very toxic substances. Metal scan analysis detected: Sodium at 0.142%, Calcium at 0.034% and Iron at 0.013%; the composition of the above impurities may differ slightly depending on the origin of the recycled glass crushed.

SECTION 3 – HAZARD IDENTIFICATION

Routes of Entry: Skin Contact No Inhalation Yes

lact No n Yes Skin Absorption No Ingestion Yes Eye Contact: Yes

<u>Hazards Summary</u>: Contain glass particulates; glass dusts may cause eye and respiratory irritation. Avoid inhalation of dusts and eye contact. Dust mask recommended when handling fine product (EG-100-200). Prolonged and excessive exposure may cause skin abrasion and dryness; wear skin protection for excessive handling. GHS Classification: Not classified as dangerous for supply/ use

SAFETY DATA SHEET FOR ENVIRO-GRIT ABRASIVES, MARCH 2024, Page 1 of 4

Enviro-Grit Abrasives EC Classification:Not classified as dangerous for supply / use Label elements: Hazard pictogram(s): None required under U.S. OSHA 2012 and Canadian WHMIS 2015 regulations Signal word: None required Hazard statement(s): None required Precautionary statement(s): None required

SECTION 4 – FIRST AID MEASURES

 Skin:
 Flush skin with water.

 Eyes:
 Flush off the material with large amounts of luke-warm water for 15 minutes; get medical attention.

 Inhalation:
 In case of accidental inhalation, move victim to fresh air, follow basic First Aid and CPR protocols. Get medical attention.

 Ingestion:
 Do not induce vomiting; get medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

Flammability: Not Flammable Means of Extinction: Not applicable Flash Point (deg.C) & Method: Not flammable Melting Point: 1400°C-1600°C NFPA: Not Applicable Hazardous Combustion Products: Smoke Conditions to avoid: None known Special Procedures: None required Auto-Ignition Temp. (deg.C): Not Applicable Sensitivity to Impact: Not Applicable Sensitivity to Static Discharge: Not Applicable

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leaks & Spills: Collect dry material with scoop or shovel limiting dust levels. Use appropriate personal protective equipment. Material can be vacuumed or wet wiped. No specific requirements for waste disposal; follow local / municipal guidelines.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures & Equipment: Store in dry cool location in sealed containers. When handling, avoid dust generation, and limit exposure to nuisance dust within the Occupational Exposure Limits (OELs). Use single use (N95) respirator for low dust levels at or around the OELs. Use protective gloves when handling large amounts of material; no specific requirement for the type of glove material.

SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

Exposure Limits for Particulates (insoluble) not otherwise specified (PNOS) TLV-TWA and Alberta OEL (for 8hr exposure), <u>10mg/m³</u>, Inhalable particulate; <u>3mg/m³</u>, Respirable particulate

Engineering Controls: Where there is a possibility for the generation of ultrafine dusts (<10nm size) engineering controls such as local exhaust ventilation must be implemented to reduce the level of respirable dust.

Respiratory Protective Equipment: Wear appropriate respirator to ensure the protection factor (PF) meets the particulate concentration in the breathing zone of the worker. Precaution must be taken when blasting on coated surfaces (having paint containing lead and heavy metals, rock/concrete having silica, and heavy metal surfaces). When handling dry material consider the use of local exhaust ventilation system.

Gloves: Wear gloves that are resistant to abrasion (e.g. leather, nitrile, neoprene). Eye: Safety glasses / goggles as required Clothing: No specific requirement.

SECTION 9 - PHYSICAL AND CEHMICAL PROPERTIES

Physical State: Solid / Granular Moisture content: <0.1% weight Specific Gravity: 2.4 Colour: Mixed green/white/amber Vapour Pressure (mmHg): Not Applicable (no vapours <700°C) Odour Threshold (ppm): Not Applicable NA (no odour)

SAFETY DATA SHEET FOR ENVIRO-GRIT ABRASIVES, MARCH 2024, Page 2 of 4

Enviro-Grit Abrasives pH: 7.2 Percent Volatiles, by volume: Not volatile Vapour Density (air=1): Not Applicable Auto-ignition Temperature: Not Applicable Hazardous Combustion Products: None Sensitivity Impact: Not Applicable Flash Point: Not Available Flash Point: Not Available Coefficient of Water/Oil Distribution: Not Applicable

Evaporation Rate: Not Applicable (will not evaporate) Boiling Pt. (deg.C): Not Available Freezing Pt. (deg.C): Not Available Solubility in Water: Not Soluble Explosion Data: Not Available Sensitivity to Static: Not Applicable Flammability (% by volume): Not Flammable; not combustible

SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability: Stable Incompatibility with other substances: None Rea Hazardous Decomposition Products: Not Available

Conditions of Instability: None Reactivity, and Conditions to Avoid: None, Not Reactive

SECTION 11 – TOXICOLOGICAL INFORMATION

Effects of Acute Exposure: Dust may irritate eyes, and respiratory system.

Effects of Chronic Exposure: Prolonged skin contact and rubbing may lead to skin abrasion and dermatitis. Exposure to excessive amounts of dust can cause adverse health effects including particulate overload in the lungs' affect the clearance mechanisms of the lungs that must be maintained in a functional condition.

Skin Sensitization: None reported Respiratory Tract Irritation: Yes Carcinogenicity (IARC): None reported Embryotoxicity: None reported Mutagenicity: None reported

Respiratory Sensitization: None reported Synergistic Materials: Not Available Reproductive Effects: None reported Teratogenicity: None reported

SECTION 12 – ECOLOGICAL INFORMATION

Environmental Fate: Not Available; none reported Persistence and degradability: This material is persistent but inert in aquatic systems. It will not bioconcentrate up the food chain.

SECTION 13 – DISPOSAL INFORMATION

Waste Disposal: Do not dispose down the drain. Re-use or dispose in accordance with local / municipal requirements. USEPA: No USEPA waste numbers applicable.

SECTION 14 – TRANSPORT INFORMATION

Special Shipping Information:NAPIN: NATDG: Not RegulatedDOT: Not regulatedIMO: Not regulatedIATA: Not RegulatedProper Shipping name:Not classified as dangerous for transport

SECTION 15 – REGULATORY INFORMATION

WHMIS Classification: Does not meet WHMIS classification requirements

This product contains no toxic chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372 (SARA 313 – Toxic Chemical Release Reporting).

EPA SARA 311/312 Hazard Classification: This product is not considered hazardous under OSHA and SARA Title III, Section 301, Category: Chronic Health.

CERCLA Section 103: This product is not subject to CERCLA reporting requirements as it is sold. Refer to CERCLA regulations to determine if used product mixed with other chemicals or materials may be reportable. Many states have more stringent release reporting

SAFETY DATA SHEET FOR ENVIRO-GRIT ABRASIVES, MARCH 2024, Page 3 of 4

Enviro-Grit Abrasives requirements. Report spills required under federal, state and local regulations.

EPZ Toxic Substance Control Act (TSCA): DOT Marine Pollutants: This product does not contain Marine Pollutants as defined in 49 CFR 171.8.

General information: www.dir.ca.gov/dosh

Cal/OSHA regulations: www.dir.ca.gov/samples/search/query.htm

Cal/OSHA safety and health publications: www.dir.ca.gov/dosh/puborder.asp

Cal/OSHA: www.dir.ca.gov/dosh/etools/etools.htm

SECTION 16 – PREPARATION AND OTHER INFORMATION

Date SDS Prepared: March 1, 2024 Prepared by: Enviro-grit Abrasives

Telephone: 1-250 992 7281

Disclaimer: This Safety Data Sheet was prepared in accordance with requirements of the Hazardous Products Act and Controlled Products Regulations using information provided by suppliers of component materials and other sources, including the Hazardous Substances Data Bank. Enviro-grit Abrasives believes that the information provided in this SDS is reliable and current as of the date of publication, but makes no such warrantee. The SDS should be provided to any individuals who will handle, store, use, transport or otherwise be exposed to the product. The data provided in this SDS do not address hazards posed by other materials which may be mixed with or used with this product.

All information presented herein is believed to be accurate; however, it is the user's responsibility to determine in advance the information is current and suitable for their circumstances. No warranty or guarantee, expressed or implied is made by Enviro-grit Abrasives as to the information, or as to the safety, toxicity or the effect of this product. Freedom under Patents, Copyright and Designs cannot be assumed.